


GOES R + B

Global Observing System








GOES-R Constellation







GOES-R Spacecraft








Mission Overview



The GOES-R Series is the next generation of GOES satellites that will provide a major improvement in quality, quantity, and timeliness of data collected. The GOES-R Series will provide improved detection and observations of meteorological phenomena that directly impact public safety, protection of property, and economic health and development



Floshes km⁻² yr⁻¹





Visual & IR Imagery

Lightning Mapping

Space Weather Monitoring

Solar Imaging

- ✓ Improve hurricane track & intensity forecasts
- ✓ Increase thunderstorm & tornado warning lead time
- ✓ Improve aviation flight route planning
- ✓ Data for long-term climate variability studies

- ✓ Improve solar flare warnings for communications and navigation disruptions
- ✓ More accurate monitoring of energetic particles responsible for radiation hazards to humans and spacecraft
- ✓ Better monitoring of Coronal Mass Ejections to improve geomagnetic storm forecasting



GOES-R Instruments



Earth Pointing



Advanced
Baseline
Imager (ABI)



Geostationary Lightning Mapper (GLM)

In-Situ



Space Environment in-Situ Sensor Suite (SEISS)




Magnetometer

Sun Pointing



Solar UV Imager (SUVI)




Extreme UV and X-ray Irradiance Sensors (EXIS)



NOAA Ground System







Consolidated Backup Facility







Antenna Upgrades



WCDAS & CBU



NSOF






GPS Signal

Satellite Interfaces







Program Description



Program: GOES-R Series (R/S/T/U Satellites)

Director: Gregory Mandt

Partners: NOAA and NASA

Host Center: Goddard Space Flight Center (GSFC)

Mission: Provide continuous imagery and atmospheric measurements

of Earth's Western Hemisphere and space weather

Launch Planning Dates: GOES-R Oct 2016

GOES-S 1st Qtr FY18

GOES-T 3rd Qtr FY19

GOES-U 1st Qtr FY25

Budget:

Program Budget	Prior yrs	FY15	FY16	FY17	FY18	FY19	FY20	FY21+	Total
Total (\$M)	5,106.2	974.9	871.8	752.8	518.5	335.9	214.7	1,375.2	10,150.1



Program Organization



System Program Director (SPD): Greg Mandt, NOAA

Deputy SPD: Sandra Cauffman, NASA Assistant SPD: Mike Stringer, NOAA Chief of Staff: Dann Karlson, NOAA

Program Control

Lead: Steve Schaeffer, NOAA

Program Contracts

Ground: Amanda Sickels, NOAA Flight: Ann Haase, NASA

Program Systems Engineering

Lead: Ed Grigsby, NASA Deputy: Craig Keeler, NOAA

Program Mission Assurance Lead: Angela Melito, NASA

Program Scientist
Dr. Steve Goodman, NOAA

Flight Project

Project Manager: Pam Sullivan, NASA Deputy PM: Tim Walsh, NOAA Deputy PM (Resources): Bob Melis, NASA

Ground Segment Project

Project Manager: Jim Valenti, NOAA Deputy PM (Resources): Heather Keller, NASA



Contractor Teams



Lockheed Martin Space Segment Program

LOCKHEED MARTIN

GOES-R collaborates with industry partners located across the United States to fulfill GOES-R mission requirements. Lockheed Martin is the prime Space Segment contractor and Harris is the prime Ground Segment contractor. Each segment has numerous supporting sub-contractors.

Denver, CO

Lockheed Martin GOES-R locations

GOES-R Instruments vendors

LM GOES-R subcontractor locations

Harris Ground Segment Program



Harris Team Melbourne, FL. Greenbelt, MD Omaha, NE

aer

Lexington, MA



Springfield, VA Denver, CO



Greenbelt, MD

GENERAL DYNAMICS SATCOM Technologies

Richardson, TX

Honeywell

Columbia, MD

wyle Silver Spring, MD

Lockheed Martin Team

Denver, CO Newtown, PA Greenbelt, MD Sunnyvale, CA Palo Alto, CA Stennis, MS Cape Canaveral, FL

AASC

Lexington, MA

Columbia, MD

Honeywell

NORTHROP GRUMMAN

Redondo Beach, CA



Columbia, MD



Greenbelt, MD

GOES-R Instruments

Harris GOES-R locations

Harris GOES-R subcontractor

locations

EXELIS

Advanced Baseline Imager (ABI)

LOCKHEED MARTIN Advanced Technology Corp, Palo Alto, CA Geostationary Lightning Mapper (GLM)

Legend:

LOCKHEED MARTIN Advanced Technology Corp, Palo Alto, CA

LASP Boulder, CO Extreme ultraviolet and X-ray Irradiance Sensor (EXIS)



LOCKHEED MARTIN Newtown, PA Magnetometer (MAG)



ProTech Requirements



- Modeling and simulation support
 - Availability analysis for launch planning
- Development and deployment support
 - Post launch testing and calibration
- Requirements traceability and alternatives
 - Final configuration for operations
- Economic analysis and architecture
 - Threats from spectrum repurposing



Requirements – Cont.



- Coordination with global observation systems
- Sustainment of NOAA operations
- Planning for new NOAA capabilities
- Transition to new technologies
- Integrated operations analysis
- User readiness planning
- Support federal spectrum relocation planning
- Coordinate with NOAA partners, including international organizations
- Enterprise transition planning



Requirements – Concl. 👺



- Applied research and consulting
- Data collection and surveys
- Program and project management